

Procedural Competency Evaluation

STUDENT:

DATE:

EXTUBATION		PERFORMANCE LEVEL	PERFORMANCE RATING
Evaluator: <input type="checkbox"/> Peer <input type="checkbox"/> Instructor	Setting: <input type="checkbox"/> Lab <input type="checkbox"/> Clinical Simulation		
Equipment Utilized:	Conditions (Describe):		
Performance Level: S or ✓ = Satisfactory, no errors of omission or commission U = Unsatisfactory error of omission or commission NA = Not applicable			
Performance Rating: 5 Independent: Near-flawless performance; minimal errors; able to perform without supervision; seeks out new learning; shows initiative; A = 4.7–5.0 average 4 Minimally Supervised: Few errors, able to self-correct; seeks guidance when appropriate; B = 3.7–4.65 3 Competent: Minimal required level; no critical errors; able to correct with coaching; meets expectations; safe; C = 3.0–3.65 2 Marginal: Below average; critical errors or problem areas noted; would benefit from remediation; D = 2.0–2.99 1 Dependent: Poor; unacceptable performance; unsafe; gross inaccuracies; potentially harmful; F = < 2.0 <i>Two or more errors of commission or omission of mandatory or essential performance elements will terminate the procedure, and require additional practice and/or remediation and reevaluation. Student is responsible for obtaining additional evaluation forms as needed from the Director of Clinical Education (DCE).</i>			
EQUIPMENT AND PATIENT PREPARATION			
1. Common Performance Elements Steps 1–8 (Refer to Appendix B)			
2. Assembles and verifies the function of the oxygen and humidification device to be used postextubation			
ASSESSMENT AND IMPLEMENTATION			
3. Common Performance Elements Steps 9 and 10 (Refer to Appendix B)			
4. Positions the patient in a high Fowler's position			
5. Suctions the patient's endotracheal tube and pharyngeal area thoroughly			
6. Deflates the cuff and assesses cuff leak (>30% VT) and vocalization			
7. Removes the ET tube tape or securing device			
8. Instructs the patient to take a maximum inspiration and removes the tube at peak inspiration (or alternatively during maximal cough); NOTE: do not remove tube during suctioning			
9. Applies the oxygen and humidification device			
10. Reassesses the patient to determine adequacy of spontaneous ventilation and airway patency; verifies patient comfort and attends to patient needs			
11. Encourages the patient to cough; periodically reassesses the patient			
FOLLOW-UP			
12. Recommends cool mist, steroids, or racemic epinephrine as indicated			
13. Common Performance Elements Steps 11–16 (Refer to Appendix B)			

SIGNATURES

Student:

Evaluator:

Date: